



Tape & Labels

Product	Polymer	Solids (%)	Viscosity (cps)	pH	Suggested Uses
Saitack® 267	Acrylic	55 to 57	600 to 1,000	7.5 to 8.5	Freezer grade label adhesives.
Saitack® 418	Acrylic	57 to 59	900 to 1,600	7.0 to 8.5	General purpose non-tackifier all-temp label adhesive with great clarity.
Saitack® 466P	Acrylic	55 to 57	1,000 to 1,300	7.0 to 8.0	Tackifier label adhesive with excellent water resistance and good adhesion to HDPE and LDPE surfaces.
Saitack® 514	Acrylic	57 to 59	10,000 to 14,000	8.0 to 9.0	Pressure sensitive adhesives for polyurethane, PVC and Polyethylene foam tapes.
Saitack® 566	Acrylic	48 to 50	1,200 to 1,800	7.5 to 8.5	Pressure sensitive adhesive for removeable labels.
Saitack® 678	Acrylic	49 to 51	1,000 to 2,000	7.5 to 8.5	Pressure sensitive adhesive for film labels with great clarity and water resistance.
Saitack® 2637	Acrylic	54 to 56	1,500 to 2,100	7.5 to 8.5	Pressure sensitive adhesive for removeable labels.



Tape & Labels

Description

STI Polymer is the partner of choice for your custom formulations of adhesives, paints and coatings. STI Polymer has built a reputation of proven performance, from providing manufacturers of paints and adhesives with the basic functional components of their formulations to producing private labeling of high-quality products for leading global corporations. STI's robust technical foundation and agility to meet the emerging needs, combined with an emphasis on long-term partnerships, drives its customers' successes.

STI Polymer

You drive. We navigate.

Because we cannot anticipate nor control the many different conditions under which this information and our products may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation. Users of our product should make their own tests to determine the suitability of each such product for their particular purposes. The products discussed are sold without warranty, either express or implied, and the buyer assumes all responsibility for loss or damage arising from the handling or use of our products, whether done in accordance with directions or not. Also, statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent.